Date:

Thursday, 11/12/2008 10:08:15 AM

User: Julie Dawson

Process Sheet

Drawing Name

Part Number

Drawing Number

Project Number

Customer Job Number : CU-DAR001 Dart Helicopters Services

: 43990

Estimate Number : 10512

P.O. Number

This Issue

: 11/12/2008

Prsht Rev. First Issue

Previous Run

Written By

: //

: NC : 42564

Type

S.O. No. :

: MACHINED PARTS

Drawing Revision Material

NG

Due Date

: 19/12/2008

. D2651 REV. B

: PLUG

: D26511

: N/A

Qty:

300 Um:

Each

Checked & Approved By

Comment

: Est: Est: B 05.12.12 added deburr EC

Additional Product

Job Number:



Seq. #:

1.0

Machine Or Operation:

Description:

6061-T6 Round Bar .500"

M6061T6R0500

Comment: Qty.: 0.0421 f(s)/Unit Total: 12.6315 f(s)

Material: 6061-T6 (QQ-A-225/8) 0.500" Dia

1- Turn as per Folio FA219 and Dwg D2651

(M6061T6R0500) x200 parts

2.0



Comment: HAAS CNC VERTICAL MACHINING #1

2- Deburr

3.0

4.0

QC2



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

QC8

SECOND CHECK

Comment: SECOND CHECK

5.0


SMALL FAB 1

SMALL & MEDIUM FAB RESOURCE 1



Comment: SMALL & MEDIUM FAB RESOURCE 1

Deburr ias per dwg D2651



Dart Aerospace Ltd

| W/O: | | | WO | RK ORDER CHANG | ES | | | | | |
|-----------------|------|-------------------|----------------------|------------------------------|---------------------|----------------|---------|-------|-----------|--------------|
| DATE | STEP | PRO | OCEDURE CHAP | NGE | By Date Qty Chief E | | | | | Approvar |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | · | | | | | | |
| Part No: PAR #: | | PAR #: | Fault Categ | _ NCI | R: Yes | No DQA: Date: | | | | |
| | | | | QA: N/C Closed: | | | | Date: | | |
| NCR: | | | WORK ORDE | R NON-CONFORMA | ANCE | (NCR |) | | | · |
| DATE | STEP | Description of NC | | Corrective Action Section | ion B | | Verific | ation | Approval | Approval |
| DATE | SIEF | Section A | Initial Chief Eng | Action Description Chief Eng | · · | Sign & Date | Section | on C | Chief Eng | QC Inspector |
| | • | | | | | | | | | |
| | | , | | | | | | | | ! |
| | | | | | | | | | | |
| | | | | | 1 | | | | | |
| | | | | | | · | | | | |
| | | | | | | | | | | |
| | | | | | : | | | | | |
| | | | | | | | | | | |
| * ; | | | | | | | | | | |

NOTE: Date & initial all entries

Date: Thursday, 11/12/2008 10:08:15 AM User: Julie Dawson **Process Sheet** Drawing Name: PLUG Customer: CU-DAR001 Dart Helicopters Services Job Number: 43990 Part Number: D26511 Job Number: Seq. #: **Machine Or Operation:** Description: 6.0 HAND FINISHING1 HAND FINISHING RESOURCE #1 Comment: HAND FINISHING RESOURCE #1 Acid etch and Alodine as per QSI 005 4.1 7.0 POWDER COATING POWDER COATING **Comment: POWDER COATING** Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 (Only larger section necessary) START TIME: **OVEN TEMPERATURE:** FINISH TIME: 8.0 QC3 INSPECT POWDER COAT/CHEMICAL CONVERSION Comment: INSPECT POWDER COAT 9.0 PACKAGING 1 PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 10.0 QC21 FINAL INSPECTION/W/O RELEASE Comment: FINAL INSPECTION/W/O RELEASE W. 12.18 Job Completion

Dart Aerospace Ltd

| | | | | | 1 | | | | | |
|-----------------|------|-------------------|----------------------|------------------------------|-----------------------|----------------|---------------|--------|-------------------------------------|--------------------------|
| W/O: | | | WO | RK ORDER CHANG | ES | | | | | |
| DATE | STEP | PROCEDURE CHANGE | | | | | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | İ | | | | | |
| | | | | | <u> </u> | | | | | |
| | | | | | : : : : : | | | | | - |
| Part No: PAR #: | | PAR #: | Fault Category: | | | R: Yes | No DQA: Date: | | | <u> </u> |
| | | Disposition | : | QA: N/C Closed: Date: | | | | | | |
| NCR: | | | WORK ORDE | R NON-CONFORM | ANCI | (NCF | l) | | | |
| | | Description of NC | | Corrective Action Sect | ion B | | Verific | eation | Approval | Approval |
| DATE | STEP | Section A | Initial Chief Eng | Action Description Chief Eng | | Sign 8 Date | Secti | | Chief Eng | QC Inspector |
| | | | | | j | | | | | |
| | | | | | ļ | | | | | |
| | | | | | ! | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | i | | | | | |

NOTE: Date & initial all entries

| DART AEROSPACE LTD | Work Order: ЦЗЯ | 0 |
|------------------------------|------------------|--------|
| Description: Plug | Part Number: D26 | 351-1 |
| Inspection Dwg: D2651 Rev: B | Page | 1 of 1 |

FIRST ARTICLE INSPECTION CHECKLIST

| Х | First Article | Prototype |
|---|---------------|-----------|
| | | |

| Drawing | Tolerance | Actual | Accept | Reject | Method of | Comments |
|-------------|---------------|-----------|--------|--------|------------|---------------------------------------|
| Dimension | Tolerance | Dimension | | Reject | Inspection | Comments |
| 0.060 | +/-0.005 | 062 | | | | |
| 0.375 | +/-0.010 | .374 | | | | |
| 0.050 x 20° | +/-0.010 | .050x20° | • | | | |
| Ø0.305 | +0.000/-0.002 | 0.305 | _ | | **** | |
| Ø0.438 | +/-0.005 | Ø.437 | | | | |
| 0.060 | +/-0.005 | .059 | | | | |
| 0.090 | +0.000/-0.002 | .089 | | | | |
| 0.045 | +0.000/-0.002 | .043 | _ | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | • | | | | | |
| | | | | _ | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | · · · · · · · · · · · · · · · · · · · |

| Measured by: | and | Audited by: J.F. | Prototype Approval: | N/A |
|--------------|----------|------------------|---------------------|-----|
| Date: | 08/12/12 | Date: 08/12/14 | Date: | |

| Rev | Date | Change | Revised by | Approved |
|-----|----------|-----------|---------------------------------------|----------|
| A | 03.12.22 | New Issue | KJ/RF | |
| | | | · · · · · · · · · · · · · · · · · · · | L |







| DESIGN DRAWN BY | | DRAWN BY | DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA | |
|-----------------|------|----------|--|-------------|
| CHEC | | APPROVED | D2651 REV | /. B F 1 |
| DATE | - | | TITLE SC | ALE |
| 03.1 | 2.19 | | PLUG | 1:1 |
| Α | | 97.03.25 | NEW ISSUE | |
| В | | 03.12.19 | ADD POWDER COAT, MS28775-008 | |

RELEASE

D2651-1 PLUG:



GROOVE DETAIL (SCALE 5:1)



D2651-1 PLUG

- 1) MATERIAL: 6061-T6 (QQ-A-225/8) OR 1100-0 (QQ-A-225/1)
- 2) FINISH: ACID ETCH & ALODINE PER DART QSI 005 4.1 POWDER COAT WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHEWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.010 MAX

D2651-3 O-RING

1) MATERIAL: BUNA N, 70 DUROMETER 3/16 ID, 5/16 OD, 1/16 WIDTH (PARKER 2-008, MS28775-008 OR EQUIVALENT)

SHOP COPY RETURN TO **ENGINEERING** UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE

Copyright @ 1997 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.